





Suppliers of Interlocking Floors

PRODUCT LINE

Manufacturers and suppliers of world class rubber and PVC extrusions and mouldings



Proudly Australian owned and operated



WE ARE PROAUTO RUBBER

Proauto Rubber Australia is an independent locally owned wholesaler and retailer of automotive, commercial and industrial rubber products based in Albury NSW.

PAR was originally founded in South Africa where we have a combined 22 years of experience in the rubber industry including manufacturing, retail, wholesale and distribution. Most products are manufactured by our own plant in Boxburg, South Africa. Other products are sourced locally, within Australia and from partner manufacturing firms globally.

Proauto Rubber specialises in universal automotive and industrial rubber extrusions and sheeting. Our product applications extend to an ever-increasing list of industries, including manufacturing firms, automotive mechanics & panel shops, automotive and building window glazing, construction & trades people, general & civil engineering, mining sectors, agriculture & abattoirs as well as professional offices & local retailers.

Our team is dedicated to providing quality rubber products at a fraction of the expected cost. Our focus is providing reliable service and effective, thorough communication to all of our valued clients. Whether you buy a metre or a container shipment from us, we will give you the same level of service guaranteed.

Our catalogue is not all inclusive of PAR's manufacturing capability. We design, manufacture and supply a range of custom extrusions to our valued customers. If you cannot find the product for your application, please give the team a call and we will provide or source a custom solution for you.

Contact the team on: (02) 6025 0194

sales@proautorubber.com.au
919 Metry St North Albury NSW 2640



Rubber – What – Where – How - Why

Natural Rubber

Produced from a tropical tree, for over one hundred years rubber was based on natural rubber.

Ethylene Propylene Diene Monomer (EPDM)

Used for glazing & refrigeration Extrusions Good heat resistance Excellent weather resistance Good low temperature resistance

Nitrile (NBR)

Used in 'O' rings Good mechanical properties Excellent resistance to oils & fuels Good alkali and acid resistance

Nitrile Food Quality (NFO)

Food gaskets, buffers & liners Good oil & heat resistance Non-toxic Non-swelling

Synthetic Rubber

Made in factories from crude oil since the 1930s. Rubber compound will have ± 18 ingredients

Silicone (si)

Extreme temperatures Like oven door seals Heat resistance up to 250°c Excellent weather resistance Moderate fuel resistance

Neoprene (cr)

Used in oil and fuel gaskets Good mechanical properties Excellent weather resistance
Flame resistant

Polyvinyl chloride (pvc)

Used to extrude pinch Weld & building profiles Good for UV resistance Non-marking

Thermoplastic

Polymers that can be melted and recast almost indefinitely. Molten when heated and harden when cooled. Represent over 75% of the worlds consumer plastics. Used to manufacture moulded vehicle floor mats.

Rubber is used in a wide range of products!

Tyres - Tubes - Engine Mountings - Screen Door Universal Extrusions - Building Profiles-Sheeting - Flooring - Hoses - Footwear - Belting - Tubing - Gaskets - Cables — Grommets-Bushes - Rollers - Handle Grips - Tools - Ute Mats - Trailer Mats - Mudflaps - Diving Suits Elastic - Balloons - Tank Linings - Pipelines - Gloves - Fan Belts - Oil Seals - Dummies Bottle Teats - Squash Balls - Tennis Balls - Golf Balls - Rugby Balls - And Many More ...



CONTENTS

we are PAR	1_
Rubber - What - Where - How - Why	2
Contents Page	3
4x4 Mats	4
Sheet Rubber	<u>5</u>
Insertion Rubber	6
Horse, Equine & Agriculture Rubber	
Rubber Mats	8
Ute Matting, Water Jet Cutting	9
Entrance Mats	10
Rubber Flooring Solutions	11
Automotive Clips, Anti-vibration Pads	12
Self Adhesive Foam Tape	13
Dock Fenders	15
Pinch Welds	<u>16</u>
Door Seals	17
Universal & Vehicle Specific Extrusions	18
Universal Sponge Extrusions	19
Universal Fender Welt, Wheel Arch Flares	20
Weather Strip, Automotive Glazing Rubber	21-22
Bailey Channel, Building Profiles	23
Self Adhesive Sponge Extrusions, P Section	24
U Channel, Capping Rubber, L Section	25
Bracket Straps, Tank Straps	26
EPDM Sponge Extrusions	27
Solid EPDM Blocks	28
Solid EPDM Rubber Strips	29
EPDM Sponge Cord	30
Gunwhale Rubber	31
Cable Protectors	32
Wiring Grommets	33
Blanking Grommets	34
Cyanoacrylate Adhesive Super Glue	<u>35</u>
Hoist Lift Blocks, Anti-Vibration Blocks	36
Mudflaps, Wheel Chocks	37



AVAILABLE FOR:



TOYOTA HILUX + FORTUNA



TOYOTA LANDCRUISER



VOLKSWAGON AMAROK



HOLDEN COLORADO + COLORADO 7



TOYOTA LANDCRUISER 79 SERIES



ISUZU DMAX + MUX



FORD RANGER + EVEREST



MAZADA BT50


& MORE



SHEET RUBBER

PAR manufactures and supplies SBR sheeting as standard in pattern, textured or smooth finishes.

Stud Coin Sheet



Pyramid Sheet



Super Grip Sheet



Wide Ribbed Sheet



Diamond Sheet




Available Thicknesses:

1.5mm, 1.6mm, 3mm, 4.5mm, 6mm.

Other sizes available on request.

Checker Plate Sheet



Fine Ribbed Sheet



Roll Widths Available:

1200mm, 1500mm, 1600mm.

Available in natural rubber, pure gum, styrene-butadiene (SBR) blend (as standard), nitrile (NBR) and ethylene propylene diene monomer (EPDM). We have a material and finish to suit most requirements, please enquire within.



STANDARD 10 METRE ROLL

applies on wholesale orders or available by the metre in store.



INSERTION RUBBER



Premium & Commercial Grade Insertion Rubber – Reinforced to improve tear strength with a woven cotton/fabric ply as standard. PAR manufactures and supplies styrene-butadiene (SBR Blend) as standard.

Available in natural rubber, styrene-butadiene (SBR) blend (as standard), nitrile (NBR) and ethylene propylene diene monomer (EPDM). We have a material and finish to suit most requirements, please enquire within.



Standard Thicknesses Available:

1.6mm, 3mm, 4.5mm & 6mm

Standard Roll Widths Available:

1200mm, 1500mm & 1600mm

STANDARD 10 METRE ROLL

applies on wholesale orders or available by the metre in store.



HORSE, EQUINE & AGRICULTURE RUBBER

Super heavy duty sheet rubber designed for the equine, horse racing and agriculture industry. Made with a higher density compound, a thicker sheet with more woven ply layers to ensure maximum tear and rip resistant.



Equine Matting

Standard 2 metre x 10 metre roll.

Textured finish on the underside for stability, with a honeycomb bubble pattern top side for grip on the animals shoes. Can be supplied by the metre in store.

Super Heavy Duty Cow Mat

Standard size single unit 1220mm x 1880mm. Raised bubble on one side, cleated smooth finish on the other. Available in 12mm or 18mm thicknesses.





Stepped Loading Ramp Mat

Standard or custom sizing available.

Made from a high density compressed sheet with a textured finish. Steps are moulded into the sheet as part of the production process to ensure the animals shoes will not tear or strip away the step.

Excellent cushion and anti-vibration properties.

Stripped Insertion Rubber

Available in custom lengths and widths to suit round yard, trotting ring, stable or other agriculture related fencing. Can also be used as chassis rail strip, anti-vibration runners, some light duty conveyer systems, some sealing solutions, edging, vermin control, mud guards and stone protection under trailers, just to name a few applications. Some standard widths held as stock.

Minimum quantities apply.





RUBBER MATS

All PAR Rubber Mats are made from a NBR (Nitrile) Blend for resistance against petroleum based liquids or chemicals and add resilience in any workplace application.

ERGONOMIC ANTI-FATIGUE MAT

900mm x 600mm & 1200mm x 900mm






DRAINAGE/HOSPITALITY MAT

900mm x 900mm 12mm & 930mm x 1550mm 12mm



Rubber Anti-Fatigue Bubble Mat Roll 900mm x 9300mm Black 15mm



MODULAR MAT - OPEN HOLE BLACK

900mm x 900mm

Modular Anti-Fatigue Mats can be linked together in a continuous line or as a larger square mat.



UTE MATTING



Standard size available: 1830mm wide x 10m roll. Premium Grade, made from an NBR blend giving some petroleum based fluid resistance. Cut to size for your ute in store upon request. Easily DIY trimmed for a custom fit in your tub around wheel arches.

WATER JET CUTTING



PAR Australia in partnership with a local manufacturer, using water jet cutting technology can have rubber sheeting cut into any shape or size to suit your requirements.

Contact the team on: (02) 6025 0194

sales@proautorubber.com.au

919 Metry St North Albury NSW 2640





ENTRANCE MATS



Coloured Entrance Mats are rubber backed for best surface grab and durability.


Coloured Entrance Mat 1200mm x 900mm x 8mm







Turtle Shell Design Black (NBR Blend)
1500mm x 900mm






All PAR Rubber Mats are made from a NBR (Nitrile) Blend for resistance against petroleum based liquids or chemicals and add resilience in any workplace application.



RUBBER FLOORING SOLUTIONS



GYM TILES

Premium Grade Rubber Gym Tiles/Mats made from 100% recycled Rubber Tyres. Completely stripped of any wire content left over from the recycling process. Up to 10% EPDM Blue Fleck throughout.

A very high resin content making for a much more dense, heavier and durable surface that is even easier to mop in a commercial gym.

Crossfit? Powerlifting? Made 15mm thick as the minimum standard for most reputable barbell company warranties and terms. A perfect square metre in size making calculating your flooring requirements and fitment a breeze.

INTERLOCKING FLOORS



Multi-purpose PVC floor tiles used as a floor covering for any type of surface, these are ideal for protecting both floor and user. This industrial flooring option is available to protect workers, machines and equipment throughout the daily grind, adding a dependable layer that is easy to clean and won't weather. Moulded from heavy duty thermo-plastics to ensure continual use with minimal wear and tear. Ideally suited to the home garage, gym or shopfront, these interlocking PVC tiles are a long lasting and grip-heavy surface perfect for a range of applications.

Product size: 500mm x 500mm x 5mm (4 x tiles interlocked to form 1 square metre)

Colours Available: Black, Dark Grey, Light Grey, Blue, Red, White,

Green, Yellow, Orange. (Black colour range manufactured from recycled plastics)

Interlocking PVC Tile Edging Available for the finished look.





AUTOMOTIVE CLIPS

PAR Australia supply a wide range of automotive clips, ranging in colour & size. Wholesale & Trade prices Available Bulk or Individual orders.


ANTI-VIBRATION PADS

WAFFLE PADS

457 X 457 X 8 SUPPLIED IN BOXES OF 20 PADS

An inexpensive material for effective control of machinery vibration, shock and acoustic noise.





ST AVIBE - 20 METRE COIL ST AVIBE 1000 - METRE STRIP


Supplied in 20 metre rolls or 1 metre lengths. An ideal product for use when a long line of vibration resistance is needed.

SELF ADHESIVE FOAM TAPE

Different materials for different applications available including PVC & Polyethylene, Neoprene & Nitrile blends. Closed & open cell, soft & hard varieties – Closed cell PE/EVA stocked as standard.

Just ask the PAR team for assistance in selecting the best solution for you.

Material - PE/EVA Application




Product #	Material	A (mm)	B (mm)	Roll Length (M)
PX33-03-10	PE/EVA	3	10	10
PX33-03-15	PE/EVA	3	15	10
PX33-03-20	PE/EVA	3	20	10
PX33-03-25	PE/EVA	3	25	10
PX33-03-30	PE/EVA	3	30	10
PX33-03-40	PE/EVA	3	40	10
PX33-06-10	PE/EVA	6	10	10
PX33-06-15	PE/EVA	6	15	10
PX33-06-20	PE/EVA	6	20	10
PX33-06-25	PE/EVA	6	25	10
PX33-06-30	PE/EVA	6	30	10
PX33-06-40	PE/EVA	6	40	10
PX33-08-10	PE/EVA	8	10	10
PX33-08-15	PE/EVA	8	15	10
PX33-08-20	PE/EVA	8	20	10
PX33-08-25	PE/EVA	8	25	10
PX33-08-30	PE/EVA	8	30	10
PX33-08-40	PE/EVA	8	40	10
PX33-010-10	PE/EVA	10	10	10
PX33-010-15	PE/EVA	10	15	10
PX33-010-20	PE/EVA	10	20	10
PX33-010-25	PE/EVA	10	25	10
PX33-010-30	PE/EVA	10	30	10
PX33-010-40	PE/EVA	10	40	10

See following page for our Nitrile/Neoprene blend tapes.

Other Materials Available. Enquire Within.



NITRILE/NEOPRENE SELF ADHESIVE FOAM TAPES



Material - Neoprene/ Nitrile Blend

Product #	Material	A (mm)	B (mm)	Roll Length (M)
FT FS47312	NBR/CR	3	12	25
FT FS47612	NBR/CR	6	12	12.5
FT FS47912	NBR/CR	9	12	8
FT FS471212	NBR/CR	12	12	6
FT FS47318	NBR/CR	3	18	25
FT FS47618	NBR/CR	6	18	12.5
FT FS47918	NBR/CR	9	18	8
FT FS471218	NBR/CR	12	18	6
FT FS47324	NBR/CR	3	24	25
FT FS47624	NBR/CR	6	24	12.5
FT FS47924	NBR/CR	9	24	8
FT FS471224	NBR/CR	12	24	6
FT FS47348	NBR/CR	3	48	25
FT FS47648	NBR/CR	6	48	12.5
FT FS47948	NBR/CR	9	48	8
FT FS471248	NBR/CR	12	48	6

 $[\]star$ Some sizes are stock items, others available on request. Please ask the PAR team



DOCKING RUBBER



MOL20 – MOULDED DOCKING BAY RUBBER



DOCK450 - CUT TO 450mm & Drilled



DE7711-450NON - CUT TO 450mm





^^STANDARD 3 METRE LENGTHS^^
MANUFACTURED TO ORDER

PAR manufacture premium, super heavy duty dock fenders that last longer and perfect for protecting your boat, trailer or truck.

Sizes:

Small, Large or Custom lengths. Enquire within.




Contact the team on:


(02) 6025 0194

sales@proautorubber.com.au

919 Metry St North Albury NSW 2640




PINCH WELD DOOR SEAL







DOOR SEAL - J SECTION




DOOR SEAL - H SECTION







NOTE: SOME E RUBBERS ARE MANUFACTURED IN AN EPDM SPONGE

UNIVERSAL & VEHICLE SPECIFIC










Universal Automotive & Industry Rubber Extrusions

Trying to understand where rubber extrusions might be used in the Australian manufacturing and production industry may seem like a confusing task. But the team at PAR Australia are fulfilling this role for our clients every day. We source clients looking for a wholistic supplier of rubber extrusions who need an industry expert to provide advice on their process and identify the right products for their applications.






UNIVERSAL FENDER WELT




WHEEL ARCH FLARES







WEATHER STRIP




WEATHER STRIP - EPDM SPONGE



AUTOMOTIVE GLAZING RUBBER




AUTOMOTIVE GLAZING RUBBER




*non stock item minimum quantities apply


THE FOLLOWING GLAZING RUBBERS CAN BE SUPPLIED WITH (B) OR WITHOUT AN INTERNAL BUTYL STRIP






UNIVERSAL WINDSCREEN MOULDS – SELF ADHESIVE






BAILEY CHANNEL



BUILDING PROFILES – GLAZING WEDGES





SELF ADHESIVE SPONGE EXTRUSIONS

PAR can offer a range of our extrusions in varying materials with a self-adhesive backing. This makes our products highly versatile and broadens depth of application.

(Minimum Run Required)



PRD1989T 20 X 20 SELF SPONGE D SECTION



PR135DT 19 X 14.3 SPONGE D SECTION



PR109DT 16 X 9.5 SPONGE D SECTION



PR119DT 19 X 9.5 SPONGE D SECTION



PR125DT 19 X 12.7 SPONGE D SECTION








SPONGE D SECTION


STANDARD 30 METRE COILS

P SECTION






PR U1333



CAPPING RUBBER






BRACKET STRAPS




PART#	A (mm)	MATERIAL
BS 25 EPDM*	25	EPDM
BS 25NBR*	25	NITRILE
BS 50 EPDM*	50	EPDM
BS 50NBR	50	NITRILE
BS 52NBR*	52	NITRILE
BS 54NBR	54	NITRILE
BS 75 EPDM*	75	EPDM
BS 75NBR	75	NITRILE
BS 78NBR	78	NITRILE

PAR Australia can supply a range of tank and bracket straps in either EPDM or NITRILE (NBR) rubbers. Some sizes are non-stock and manufactured to order. Please enquire with our team for your requirements

TANK STRAPS






PAR


PROAUTO RUBBER AUSTRALIA

TANK STRAPS



*non stock item minimum quantities apply


EPDM SPONGE EXTRUSIONS



THE ABOVE ARE STANDARD SIZES ONLY. WE CAN EXTRUDE EPDM SPONGE FLAT IN ALMOST ANY SIZE.
TOOLING COST MAY APPLY. MIN RUNS APPLY.



SOLID EPDM BLOCKS



A (mm)	B (mm)	C (mm)
50	50	250
50	50	500
75	75	250
75	75	500
100	75	100
100	75	150
100	75	250
100	75	500
100	100	100
100	100	150
100	100	250
100	100	500

^{*}non stock item minimum quantities apply



SOLID EPDM RUBBER STRIP - STANDARD STOCK ITEMS

Α

В

PART #	A (mm)	B (mm)
PR397	3	10
PR194	5	48
PRA1	3	55
PRA2	3	80

SOLID EPDM RUBBER STRIP - MANUFACTURED AND SUPPLIED TO ORDER

Α

R

A (mm)	B (mm)
5	5
6	6
10	10
15	10
20	12
20	20
22	15
25	10
30	10
30	15
38	4.5
40	12
50	10
60	12
75	10
80	6
100	12

THE ABOVE ARE STANDARD SIZES ONLY. WE CAN EXTRUDE EPDM STRIP IN ALMOST ANY SIZE. TOOLING COST MAY APPLY. MIN RUNS APPLY.



EPDM SPONGE CORD




PART #	A (MM)
PR C 381E	4
PR C 382E	6
PR C 383E	8
PR C 384E	10
PR C 385E	12
PR C 16E	16
PR C 19E	19
PR C 22E	22
PR C 25E	25

THE ABOVE ARE STANDARD SIZES ONLY. WE CAN EXTRUDE CORDS IN ALMOST ANY SIZE IN THE FOLLOWING MATERIALS. TOOLING COST MAY APPLY. MIN RUNS APPLY.

- EPDM SOLID/SPONGE
- NEOPRENE SOLID/SPONGE
- o SILICONE SOLID
- o PURE GUM




GUNWHALE RUBBER



PONTOON RUBBER
AVAILABLE IN CUSTOM LENGTHS



PR GUN2358 30 METRE COIL



PR GUNN 2376 30 METRE COIL


PLASTIC GUNNEL AVAILABLE IN BLACK OR WHITE PR GUN2303 PR GUN2304 30 METRE COIL

MANUFACTURED & SUPPLIED TO ORDER





CABLE PROTECTORS




AVAILABLE IN BLACK OR YELLOW
AVAILABLE IN CLIP TOGETHER 1 METRE LENGTHS



WIRING GROMMETS

BAGS OF 100 UNITS




PART No.	А	В	С	D	Е
WG 157	5.50	11.00	0.80	4.00	8.00
WG 158	5.50	11.00	1.60	4.80	8.00
WG 159	5.50	11.00	2.40	5.50	8.00
WG 178	3.20	11.00	0.80	6.40	8.70
WG 163	3.20	12.70	1.60	6.40	9.50
WG 164	6.40	14.30	0.80	6.40	9.50
WG 167	8.00	19.80	4.00	8.00	11.00
WG 168	9.50	17.50	3.20	6.40	11.00
WG 171	8.00	15.00	3.20	8.00	11.90
WG 185	6.70	16.00	1.60	8.00	11.90
WG 176	8.00	17.00	2.80	9.00	12.10
WG 161	9.50	16.00	1.60	6.40	12.10
WG 160	7.20	15.00	1.60	8.00	12.70
WG 183	9.50	17.50	1.20	7.20	14.30
WG 165	11.70	20.00	3.00	9.30	15.80
WG 182	9.50	20.60	1.60	7.20	16.70
WG 170	11.00	25.40	1.60	8.00	19.00
WG 180	12.70	28.60	1.60	6.40	22.03
WG 174	16.00	29.30	2.40	9.50	22.30
WG 184	19.00	35.00	1.60	8.00	24.00
WG 173	16.00	29.40	2.40	7.20	25.40
WG 1127A	19.00	33.30	1.60	8.00	27.00
WG 186	29.00	46.00	1.60	12.70	34.10

SIZES GIVEN ARE NOMINAL MEASUREMENTS

BLANKING GROMMETS

BAGS OF 100 UNITS



PART No	В	С	D	Е
BG 2262	9.50	1.60	4.80	6.40
BG 2159	11.00	1.60	4.80	8.00
BG 2114	12.70	1.60	4.80	9.50
BG 2114	17.50	1.60	6.40	12.70
BG 2115	20.60	1.60	6.40	16.00
BG 2161	25.40	1.60	6.40	19.00
BG 2160	28.60	1.60	6.40	22.30
BG 2240	31.80	1.60	8.00	25.40
BG 2194	35.00	1.60	8.00	28.60
BG 2129	38.10	1.60	8.00	31.80
BG 2273	44.50	1.60	8.00	38.10

SIZES GIVEN ARE NOMINAL MEASUREMENTS



CYANOACRYLATE ADHESIVE SUPER GLUE



EPDM Cyanoacrylate 606 20GSM Super Glue

This super glue offers an exceptionally fast cure speed which is perfect for bonding difficult substrates and acidic surfaces. It works well with wood, PVC, substrates that contain plasticizers, EPDM, etc. This Cyanoacrylate super glue is easy to use and bonds almost anything.

AVAILABLE IN LARGER QUANTITIES



HOIST LIFT BLOCKS

PAR Australia have a range of replacement hoist lift blocks For further information, Enquire within.







ANTI-VIBRATION MOUNTS



PAR manufacture a wide range of anti-vibration mounts. Multiple sizes both male and female, for most applications. Wholesale and trade prices. Enquire within.

Contact the team on:


(02) 6025 0194

sales@proautorubber.com.au

919 Metry St North Albury NSW 2640



MUD FLAPS




EPDM truck, trailer and service body mud flaps. Much stronger than PVC mudflaps and still flexible enough to move with the vehicle. Enquire within.

Custom mud flap weights available in mirror stainless steel w/ your custom laser cut logo .

WHEEL CHOCKS

PAR manufacture and supply heavy duty PVC and RUBBER wheel chocks. Perfect for your car, trailer or truck.

For further information enquire within.



PR WC CAR1792



PR CHOCKY



PRLBO8 LONG PRLBO6 SHORT

NOTES







919 METRY ST NORTH ALBURY NSW (02) 6025 0194

<u>sales@proautorubber.com.au</u> www.proautorubber.com.au